# W A HAMMOND DRIERITE CO., LTD

## SAFETY DATA SHEET

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### 1.1 Product identifiers

Product name : Drierite, Indicating

Product Stock Numbers

21001, 21005, 21025, 22001, 22005, 22025, 23001, 23005, 23025, 24001, 24005, 24025, 24035, 26800, 26840, 26930, 27068, 24025,

27069, 27070, 40207, 40451, 50068

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Desiccant or drying agent

### 1.3 Details of the manufacturer of the safety data sheet

Company : W A Hammond Drierite Co.,LTD.

P.O. Box 460 Xenia, OH 45385

U.S.A.

Telephone : 937-376-2927

Web Site : www.drierite.com

## 1.4 Emergency telephone number

Emergency Phone # : 937-376-2927

### 2. HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture

### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Eye irritation (Category 2A), H319

Respiratory sensitization (Category 1), H334 Skin sensitization (Category 1), H317 Germ cell mutagenicity (Category 2), H341

Carcinogenicity (Category 2), H351

Reproductive toxicity (Category 1B), H360 Acute aquatic toxicity (Category 2), H401 Chronic aquatic toxicity (Category 3), H412

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 2.2 GHS Label elements, including precautionary statements







Signal word	Danger

Hazard statement(s)

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H341 Suspected of causing genetic defects.

H351 Suspected of causing cancer.

H360 May damage fertility or the unborn child.

H401 Toxic to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statement(s) P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray. P261 P264 Wash skin thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. P272 P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P285 In case of inadequate ventilation wear respiratory protection. P302 + P352IF ON SKIN: Wash with plenty of soap and water. P304 + P341IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove P305 + P351 + P338contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/ attention. P308 + P313P333 + P313If skin irritation or rash occurs: Get medical advice/ attention. If eye irritation persists: Get medical advice/ attention. P337 + P313P363 Wash contaminated clothing before reuse. P405 Store locked up. P501 Dispose of contents/ container to an approved waste disposal plant.

### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2 Mixtures

Synonyms : Drierite

Formula : CaSo4 + CoC12

**Hazardous components** 

Component		Classification	Concentration			
Calcium sulfate						
CAS-No.	7778-18-9		≥95% < 100 %			
EC-No.	231-900-3					
Cobalt dichloride Included in the Candidate List of Substances of Very High Concern (SVHC) according to						
Regulation (EC) No. 1907/2006 (REACH)						
CAS-No.	7646-79-9	Acute Tox. 4; Eye Dam. 1;	<u>&lt;</u> 2%			
EC-No.	231-589-4	Resp. Sens. 1; Skin Sens. 1; M	luta.			
Index-No.	027-004-00-5	2; Carc. 1B; Repr. 1B; Aquation				
		Acute 1; Aquatic Chronic 1;				
		H302, H317, H318, H334, H3	41,			
		H350, H360, H410				

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 4. FIRST AID MEASURES

### 4.1 Description of first aid measures General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

## If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labeling (see section 2.2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

### **5. FIREFIGHTING MEASURES**

#### 5.1 Extinguishing media Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

### 5.2 Special hazards arising from the substance or mixture

Sulfur oxides, Hydrogen chloride gas, Cobalt/cobalt oxides, Calcium oxide

#### **5.3** Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### **5.4** Further information

No data available

### 6. ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

#### **6.2** Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

#### 6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

### **6.4** Reference to other sections

For disposal see section 13.

## 7. HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs.

Provide appropriate exhaust ventilation at places where dust is formed. For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Storage class (TRGS 510): Non-combustible, acute toxic Cat.3 / toxic hazardous materials or hazardous materials causing chronic effects

### **7.3** Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis	
Calcium sulfate	7778-18-9	TWA	15.000000 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants	
		TWA	5.000000 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants	
		TWA	10.000000 mg/m3	USA. ACGIH Threshold Limit Values (TLV)	
	Remarks	Nasal symptoms			
		TWA	5.000000 mg/m3	USA. NIOSH Recommended Exposure Limits	
		Gypsum is the dihydrate form & Plaster of Paris is the hemihydrate form.			
		TWA	10.000000 mg/m3	USA. NIOSH Recommended Exposure Limits	
		Gypsum is the dihydrate form & Plaster of Paris is the hemihydrate form.			
		TWA	10.000000 mg/m3	USA. ACGIH Threshold Limit Values (TLV)	
		Nasal sym	Nasal symptoms		
Cobalt dichloride	7646-79-9	TWA	0.020000 mg/m3	USA. ACGIH Threshold Limit Values (TLV)	
		Pulmonary function Asthma Myocardial effects Substances for which there is a Biological Exposure Index or Indices (see BEI® section) Confirmed animal carcinogen with unknown relevance to humans varies			

#### **8.2** Exposure controls

### **Appropriate engineering controls**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

## Personal protective equipment Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate Government standards such as NIOSH (US) or EN 166(EU).

## Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

### **Body Protection**

Complete suit protecting against chemicals, the type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

a) Appearance Form: blue/pink solid
b) Odor No data available
c) Odor Threshold No data available
d) pH No data available

e) Melting point/freezing No data available No data available

point

f) Initial boiling point and

boiling range

g) Flash point Not applicable
h) Evaporation rate No data available
i) Flammability (solid, gas) No data available
j) Upper/lower No data available

flammability or explosive limits

k) Vapor pressure
 l) Vapor density
 m) Relative density
 No data available
 No data available

n) Water solubility No data available

o) Partition coefficient: noctanol/water No data available No data available No data available

p) Auto-ignition temperature

q) Decomposition temperature

r) Viscosity No data available
 s) Explosive properties No data available
 t) Oxidizing properties No data available

## 9.2 Other safety information

No data available

## **10. STABILITY AND REACTIVITY**

## 10.1 Reactivity

No data available

### **10.2** Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

No data available

## 10.4 Conditions to avoid

No data available

### 10.5 Incompatible materials

Oxidizing agents, Alkali metals, Strong oxidizing agents

#### **10.6** Hazardous decomposition products

Other decomposition products - No data available In the event of fire: see section 5

## 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects Acute toxicity

No data available

Inhalation: No data available Dermal: No data available No data available

### Skin corrosion/irritation

No data available

#### Serious eye damage/eye irritation

No data available

#### Respiratory or skin sensitisation

No data available

### Germ cell mutagenicity

No data available

### Carcinogenicity

IARC: 2B - Group 2B: Possibly carcinogenic to humans (Cobalt dichloride) 2B - Group 2B: Possibly carcinogenic to humans

(Cobalt dichloride)

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated

carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential

carcinogen by OSHA.

### Reproductive toxicity

No data available No data available

## Specific target organ toxicity - single exposure

No data available

## Specific target organ toxicity - repeated exposure

No data available

### **Aspiration hazard**

No data available

## **Additional Information**

RTECS: Not available

Blood disorders, Nausea, Vomiting, Diarrhea

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence (Cobalt dichloride)

### 12. ECOLOGICAL INFORMATION

## 12.1 Toxicity

No data available

#### 12.2 Persistence and degradability

No data available

### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### **12.6** Other adverse effects

Toxic to aquatic life with long lasting effects.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

#### 13. DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods Product

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state, and federal regulations or contract with a licensed chemical disposal agency.

#### **Contaminated packaging**

Dispose of as unused product.

## 14. TRANSPORT INFORMATION

#### DOT (US)

Not dangerous goods

**IMDG** 

UN number: 3077 Class: 9 Packing group: III EMS-No: F-A, S-F

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Cobalt dichloride) Marine pollutant: yes Product falls under Special Provision A197 which allows product to be shipped "not restricted". \*\*See further information.\*\*

### **IATA**

UN number: 3077 Class: 9 Packing group: III

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Cobalt dichloride) Product falls under Special Provision A197 which allows product to be shipped "not restricted". \*\*See further information.\*\*

### **Further information**

\*\*Special Provision A197—is a new special provision assigned to environmentally substances, UN 3077 and UN 3082 that allows these substances to be shipped as "not restricted" provided that the net quantity in any receptacle does not exceed 5 kg or 5 L and the packaging used meets defined standards.

#### 15. REGULATORY INFORMATION

## **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### **SARA 313 Components**

The following components are subject to reporting levels established by SARA Title III, Section 313:

CAS-No. 7646-79-9

Massachusetts Right to Know Components

CAS-No. 7778-18-9

Calcium sulfate CAS-No. 7778-18-9

#### Pennsylvania Right to Know Components

Calcium sulfate

Revision Date 2009-07-17

Revision Date 1994-04-01

Revision Date 1994-04-01

CAS-No. Revision Date 1994-04-01

Calcium sulfate 7778-18-9

Cobalt dichloride 7646-79-9 2009-07-17

## California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

### 16. OTHER INFORMATION

### Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity Aquatic Acute Acute aquatic toxicity
Aquatic Chronic Chronic aquatic toxicity Carc. Carcinogenicity

Eye Dam. Serious eye damage H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.
 H318 Causes serious eye damage.
 H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H341 Suspected of causing genetic defects.

H350 May cause cancer.

H351 Suspected of causing cancer.

H360 May damage fertility or the unborn child.

H401 Toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
 H412 Harmful to aquatic life with long lasting effects.

Muta. Germ cell mutagenicity

### **HMIS Rating**

Health hazard: 2
Chronic Health Hazard: \*
Flammability: 0
Physical Hazard 0

### **NFPA Rating**

Health hazard: 2
Fire Hazard: 0
Reactivity Hazard: 0

### **Further information**

Copyright 2015 W A Hammond Drierite Co., Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. W A Hammond Drierite Co., Ltd and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.drierite.com.

### **Preparation Information**

W A Hammond Drierite Co., Ltd PO Box 460 Xenia, OH 45385 1-937-376-2927 Revised: 01-01-2015